



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Rosenblum, M.

§ PATENT NO:
§ 6,599,505

ISSUED: July 29, 2003

§ DOCKET: D5442C/CIP

FOR: Immunotoxins Directed Against
CD33 Related Surface Antigens

§ SERIAL NO.:
§ 09/026,882

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

JAN 07 2004

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322
(OFFICE MISTAKE)

Dear Sir:

A Certificate of Correction (in duplicate) for the above-referenced patent has been prepared and is attached hereto.

In the matter of United States Patent No. 6,599,505, issued July 29, 2003, to Michael G. Rosenblum, a check of the same against the file of the attorney shows errors which are set forth on the duplicate copy filed herewith.

It is requested that a Certificate of Correction be issued in compliance with Rule 322 and 35 USC 254 to correct the listed errors. If there is a fee for correction of any of the listed errors, please charge the cost to Deposit Account No. 07-1185.

The original patent is being retained, and it is requested that the Certificate of Correction be issued and forwarded to the undersigned with an authorization permitting the patentee to physically attach same to the patent.

Respectfully submitted,

Date: Dec 22, 2003
ADLER & ASSOCIATES
8011 Candle Lane
Houston, Texas 77071
(713) 270-5391

Benjamin A. Adler
Benjamin Aaron Adler, Ph.D., J.D.
Counsel for Applicant
Registration No. 35,423

13 JAN 2004

~~In~~ Column 12, line 35, please insert an open parentheses sign before "precipitable".

~~In~~ Column 12, line 62, "were" should read --was--.

~~In~~ Column 15, line 21, please insert the word --group-- between "control" and "not".

~~In~~ Column 15, line 25, "agin" should read --again--.

~~In~~ Column 15, line 64, "form" should read --from--.

~~In~~ Column 16, line 5, "6 day" should be hyphenated.



UNITED STATES PATENT OFFICE
CERTIFICATE OF CORRECTION

Patent No.: 6,599,505 Issued: July 29, 2003

Inventor(s): Michael G. Rosenblum

It is certified that errors appear in the above-identified patent and said Letters Patent are hereby corrected as shown below:

In Column 2, line 7, "meet" should read --meets--.

In Column 2, line 33, please insert the word --in-- between "And" and "yet".

In Column 2, line 53, "mammal bearing" should be hyphenated.

In Column 4, line 28, please replace the period after "hours" with a comma.

In Column 4, line 38, "effect" should read --effects--.

In Column 5, line 30, "refer" should read --refers--.

In Column 6, line 14, please remove the comma after "about".

In Column 7, line 22, please insert a period after "phosphorylation".

In Column 10, line 21, "resetting" should read --rosetting--.

In Column 11, line 47, please insert the word --was-- between "antibody" and "bound".

In Column 12, line 35, please insert an open parentheses sign before "precipitable".

In Column 12, line 62, "were" should read --was--.

In Column 15, line 21, please insert the word --group-- between "control" and "not".

In Column 15, line 25, "agin" should read --again--.

In Column 15, line 64, "form" should read --from--.

In Column 16, line 5, "6 day" should be hyphenated.